

Printcom Chemicals

RS



printcom D-Glazer



DESCRIPTION & APPLICATION:

printcom D-Glazer is a high-quality deglazer used for cleaning of offset rollers.



KEY FEATURES AND ADVANTAGES:

- Improves the life of offset inking rollers.
- Improves ink transfer.
- Removes dried ink and chemical residues from the pores of the rollers surface.
- Helps to maintain the roller shore hardness and roller surface.



USAGE INSTRUCTIONS:

- Clean the inking rollers with Roller Wash and then with water for 2 mins.
- Remove the wash & water with the help of cleaning blade.
- Now apply Printcom D-Glazer and run the press at idle speed for 3-4 mins,
- Pour Roller Wash and then luke warm water to remove the residue of D-glazer and wash from rollers.



STORAGE, HANDLING & PACKAGING:

- **Storage & Handling:** Store at room temperatures in a dry, well-ventilated area, away from direct sunlight. Keep the containers tightly closed when not in use.
- **Shelf-Life:** Best before 6 months from the date of Manufacturing.
- **Packing:** 1 litre.
- **Precautions:** Keep the product away from eyes and any cut areas on skin, use of gloves is recommended.

printcom MRC-500



DESCRIPTION & APPLICATION:

printcom MRC-500 is a high-quality cleaning and degreasing solution specifically designed for metering rollers used for both conventional and UV inks.



KEY FEATURES AND ADVANTAGES:

- Metering roller cleaner for both UV and conventional inks.
- Improves transfer by thorough cleaning of the metering roller. dampening
- Dries quickly without leaving any residue.
- Helps to reduce stoppages due to inadequate dampening solution transfer.



USAGE INSTRUCTIONS:

Use a sufficient amount of MRC-500 with a cotton cleaning cloth to thoroughly apply the solution. Scrub the surface thoroughly until it is clean and dry.



STORAGE, HANDLING & PACKAGING:

- **Storage & Handling:** Store at room temperatures in a dry, well-ventilated area, away from direct sunlight. Keep the containers tightly closed when not in use.
- **Shelf-Life:** Best before 6 months from the date of Manufacturing.
- **Packing:** 1 litre.
- **Precautions:** Ensure a safe distance from heat sources, sparks, open flames, and static electricity charges.

printcom UV Blanket Cleaner



DESCRIPTION & APPLICATION:

printcom UV Blanket Cleaner is a high-quality deglazer, conditioner and rejuvenator for offset blankets. It removes UV ink as well as Ghost image from the Blanket surface.



KEY FEATURES AND ADVANTAGES:

- Improves the life of UV Blankets without affecting the blanket surface.
- Improves ink transfer properties of the Blanket
- Removes dried ink from the pores of the Blanket surface.
- Helps to remove the Ghost image from the Blanket surface.



USAGE INSTRUCTIONS:

- Clean the Blanket with Wash and then with water.
- Remove the traces of wash & water with the help of cotton and make it dry
- Now apply Printcom UV Blanket Cleaner on Cotton and clean the Blanket surface.
- Now again apply wash and water to clean the blanket surface.
- Use on regular basis to remove Ghosting from the blanket.



STORAGE, HANDLING & PACKAGING:

- **Storage & Handling:** Store at room temperatures in a dry, well-ventilated area, away from direct sunlight. Keep the containers tightly closed when not in use.
- **Shelf-Life:** Best before 6 months from the date of Manufacturing.
- **Packing:** 1 litre.
- **Precautions:** Keep the product away from eyes and any cut areas on skin, use of gloves is recommended.

printcom Fount System Cleaner



DESCRIPTION & APPLICATION:

printcom Fount System Cleaner is a high-quality water based alkaline cleaner for removal of Paper dust, Dried Ink and Inorganic growth from the Fount Tank and distributing system.



KEY FEATURES AND ADVANTAGES:

- This product effectively eliminates dried ink and paper dust within circulating dampening systems due to the degreasing property of Alkaline chemistry.
- With its deep cleansing properties, it effectively clears deposits of ink, paper lint, fluff, and other build-up from pipes and elbow joints.
- Its high-impact formulation will ensure that regular use prevents pipe clogs and blockages.



USAGE INSTRUCTIONS:

- Dilute the concentrated Printcom Fount System Cleaner with warm water in the ratio 1:10.
- It is recommended to allow the solution to circulate adequately (approximately 45 mins) for effective cleaning and congestion removal.
- Remove the depleted solution and thoroughly rinse the system with abundant fresh water twice for 15 mins each.



STORAGE, HANDLING & PACKAGING:

- **Storage & Handling:** Store at room temperatures in a dry, well-ventilated area, away from direct sunlight. Keep the containers tightly closed when not in use.
- **Shelf-Life:** Best before 6 months from the date of Manufacturing.
- **Packing:** 5 litre.
- **Precautions:** Keep the product away from eyes and any cut areas on skin, use of gloves is recommended.

printcom UV Wash- Premium



DESCRIPTION & APPLICATION:

Printcom UV is a wash-up solution for UV offset presses allows very effective cleaning of inking roller or a blankets when using UV curing ink and or varnishes.

Printcom UV wash is a solvent based, water miscible press wash for both, automatic blanket cleaning systems and manual use.

The flash point of this strong washing agent is > 75°C and its application is restricted to 100% UV ink roller qualities und blankets.

Careful plate handling is required. The fluid may affect plates hence spot tests is recommended.



KEY FEATURES AND ADVANTAGES:

- Compatibility with UV resistant rubber rollers and blankets;
- Designed for automatic washing devices and manual use;
- Suitable for universal application: rubber rollers, blankets and metal surfaces;
- Low odor; Aromatic and naphthenic free, medium fast evaporation;
- Optimum roller and blanket life; VOC content 100%.
- Flash point >75oC; Low hazard rating; Miscible with water, washable with water;.



USAGE INSTRUCTIONS:

- Printcom UV wash can be used pure or mixed with water; it can be used for manual cleaning and in automatic washing systems. For automatic washing systems please follow the program instructions.
- Not suitable for conventional roller qualities



STORAGE, HANDLING & PACKAGING:

- **Storage & Handling:** Store at room temperatures in a dry, well-ventilated area, away from direct sunlight. Keep the containers tightly closed when not in use.
- **Shelf-Life:** Best before 12 months from the date of Manufacturing.
- **Packing:** 5/20/25/200 litre.
- **Precautions:** Keep away from source of heat, sparks, open flame and static electric charges. Post wash-up application of plain water is recommended as a finishing step for complete removal of the residue.
- Unattended built-up of residue over a prolonged duration could cause ink transfer problems.
- **Caution:** Can attack plates.

Contact Information

manroland Goss web systems (India) Private Limited,
D- 41, Ground Floor, Sector-59, UP, Noida: 201401, India.
Contact us : marketing.in@manrolandgoss.com
www.manrolandgossindia.com

